



## Mary Meyer Certificate of Compliance

- I. This certificate covers Mary Meyer item: MM 50280 Panache Pups- 3 colors
- II. This product is certified to meet the following CPSC safety regulations:  
ASTM F963 + 16 CFR Flammability Test  
16 CFR 1303 Total Lead Content  
ASTM F963 + 16 CFR Physical and Mechanical Test  
ASTM F 963 Soluble Heavy Metal Content  
Total Lead in substrate per CPSIA 2008 (H.R. 4040)  
Total Phthalates Content Test per CPSIA 2008 (H.R. 4040)
- III. This product was imported by:  
Mary Meyer Corp.  
Route 30  
Townshend, VT 05353 USA  
Tel (+852)-3580-0773
- IV. Testing and compliance records are maintained by:
- |   |   |
|---|---|
| Hong Kong:<br>Mary Meyer (Hong Kong) Limited<br>Room 804, Tung Che Commercial Centre<br>246 Des Voeux Rd. West<br>Hong Kong, S.A.R. Peoples' Republic of China<br>Tel: (+852)-2915-2506<br>Email: <a href="mailto:compliance@marymeyer.com">compliance@marymeyer.com</a><br>Attn: Jeffrey Blauner | USA:<br>Mary Meyer Corp.<br>P.O. Box 275<br>Townshend, VT 05353<br>USA<br>Tel: (802)-365-7793<br>email: <a href="mailto:compliance@marymeyer.com">compliance@marymeyer.com</a><br>Attn: Gail Ames |
|---|---|
- V. This product was manufactured in:  
GuangAn City, Linshui County, Sichuan province, Peoples' Republic of China  
January 2020
- VI. The product covered by this certificate was tested for compliance:  
Hong Kong, S.A.R., Peoples' Republic of China  
Component testing:  
January 2020  
Eyes testing (Heavy Metals): May 2019  
Label testing (Heavy Metals): May 2019  
Other:  
Other:  
Other:  
Other:
- VII. Third party testing was conducted by:  
UL VS Hong Kong Limited  
16-17/F, Tower B, Regent Centre  
63 Wo Yi Hop Road, Kwai Chung  
New Territories, Hong Kong  
S.A.R., Peoples' Republic of China  
(+852)-2423-3092

Mary Meyer Corp.  
P.O. Box 275, Route 30  
Townshend, VT 05353 USA  
Tel: (802)-365-7793 Fax: (802)-365-4233