



## Mary Meyer Certificate of Compliance

I. This certificate covers Mary Meyer item: MM 26220 LooseyGoosey Forest Assortment

II. This product is certified to meet the following CPSC safety regulations:

ASTM F963 + 16 CFR Flammability Test  
16 CFR 1303 Total Lead Content  
ASTM F963 + 16 CFR Physical and Mechanical Test  
ASTM F 963 Soluble Heavy Metal Content  
Total Lead in substrate per CPSIA 2008 (H.R. 4040)  
Total Phthalates Content Test per CPSIA 2008 (H.R. 4040)

III. This product was imported by:

Mary Meyer Corp.  
Route 30  
Townshend, VT 05353 USA  
Tel (+852)-3580-0773

IV. Testing and compliance records are maintained by:

Hong Kong:  
Mary Meyer (Hong Kong) Limited  
Room 804, Tung Che Commercial Centre  
246 Des Voeux Rd. West  
Hong Kong, S.A.R. Peoples' Republic of China  
Tel: (+852)-2915-2506  
Email: [compliance@marymeyer.com](mailto:compliance@marymeyer.com)  
Attn: Jeffrey Blauner

USA:  
Mary Meyer Corp.  
P.O. Box 275  
Townshend, VT 05353  
USA  
Tel: (802)-365-7793  
email: [compliance@marymeyer.com](mailto:compliance@marymeyer.com)  
Attn: Gail Ames

V. This product was manufactured in:

GuangAn City, Linshui County, Sichuan province, Peoples' Republic of China  
October 2021

VI. The product covered by this certificate was tested for compliance:

Hong Kong, S.A.R., Peoples' Republic of China  
Component testing:  
December 2020  
Eyes testing (Heavy Metals): May 2021  
Label testing (Heavy Metals): May 2021  
Other:  
Other:  
Other:  
Other:

VII. Third party testing was conducted by:

QIMA Testing (HK) Limited  
3/F Liven House  
No. 61 – 63 King Yip Street  
Kwun Tong  
Kowloon Hong Kong  
Tel: (852)3185 8000

Mary Meyer Corp.  
P.O. Box 275, Route 30  
Townshend, VT 05353 USA  
Tel: (802)-365-7793 Fax: (802)-365-4233