



Love you can feel.®

## Mary Meyer Certificate of Compliance

- I. This certificate covers Mary Meyer item: MM 42150 Milty Moose Flip Flop
- II. Citation to each CPSC product safety regulation to which this product is being certified:  
ASTM F963 - 17 CFR Flammability Test (16 CFR 1500.44)  
16 CFR 1303 Total Lead Content (CPSIA)  
ASTM F963 - 17 CFR Physical and Mechanical Test (CPSIA)  
ASTM F963 - 17 Soluble Heavy Metal Content (CPSIA)  
Total Lead in substrate per CPSIA 2008 (H.R. 4040)  
Total Phthalates Content Test per CPSIA 2008 (H.R. 4040)
- III. This product was imported by:  
Mary Meyer Corp.  
Route 30  
Townshend, VT 05353 USA  
Tel (+852)-3580-0773
- IV. Testing and compliance records are maintained by:
- |   |   |
|---|---|
| Hong Kong:<br>Mary Meyer (Hong Kong) Limited<br>Room 804, Tung Che Commercial Centre<br>246 Des Voeux Rd. West<br>Hong Kong, S.A.R. Peoples' Republic of China<br>Tel: (+852)-2915-2506<br>Email: <a href="mailto:compliance@marymeyer.com">compliance@marymeyer.com</a><br>Attn: Jeffrey Blauner | USA:<br>Mary Meyer Corp.<br>P.O. Box 275<br>Townshend, VT 05353<br>USA<br>Tel: (802)-365-7793<br>email: <a href="mailto:compliance@marymeyer.com">compliance@marymeyer.com</a><br>Attn: Gail Ames |
|---|---|
- V. This product was manufactured in:  
Weifang, Shandong Province, Peoples' Republic of China  
December 2022
- VI. The product covered by this certificate was tested for compliance:  
Hong Kong, S.A.R., Peoples' Republic of China  
January 2023  
Component testing:  
Eyes testing (Heavy Metals): December, 2022  
Label testing (Heavy Metals): December, 2022  
Other:  
Other:  
Other:  
Other:
- VII. Third party testing was conducted by:  
QIMA Testing (HK) Limited  
3/F Liven House  
No. 61 – 63 King Yip Street  
Kwun Tong  
Kowloon Hong Kong  
Tel: (852)3185 8000

Mary Meyer Corp.  
P.O. Box 275, Route 30  
Townshend, VT 05353 USA  
Tel: (802)-365-7793 Fax: (802)-365-4233

Mary Meyer Corp.  
P.O. Box 275, Route 30  
Townshend, VT 05353 USA  
Tel: (802)-365-7793 Fax: (802)-365-4233