



Love you can feel.®

Mary Meyer Certificate of Compliance

I. This certificate covers Mary Meyer item: MM 42840 Putty Nursey Teddy

II. Citation to each CPSC product safety regulation to which this product is being certified:

ASTM F963 - 17 CFR Flammability Test (16 CFR 1500.44)
16 CFR 1303 Total Lead Content (CPSIA)
ASTM F963 - 17 CFR Physical and Mechanical Test (CPSIA)
ASTM F963 - 17 Soluble Heavy Metal Content (CPSIA)
Total Lead in substrate per CPSIA 2008 (H.R. 4040)
Total Phthalates Content Test per CPSIA 2008 (H.R. 4040)

III. This product was imported by:

Mary Meyer Corp.
Route 30
Townshend, VT 05353 USA
Tel (+852)-3580-0773

IV. Testing and compliance records are maintained by:

Hong Kong:
Mary Meyer (Hong Kong) Limited
Room 804, Tung Che Commercial Centre
246 Des Voeux Rd. West
Hong Kong, S.A.R. Peoples' Republic of China
Tel: (+852)-2915-2506
Email: compliance@marymeyer.com
Attn: Jeffrey Blauner

USA:
Mary Meyer Corp.
P.O. Box 275
Townshend, VT 05353
USA
Tel: (802)-365-7793
email: compliance@marymeyer.com
Attn: Gail Ames

V. This product was manufactured in:

Weifang, Shandong Province, Peoples' Republic of China
December 2022

VI. The product covered by this certificate was tested for compliance:

Hong Kong, S.A.R., Peoples' Republic of China
December 2022
Component testing:
Eyes testing (Heavy Metals): December, 2022
Label testing (Heavy Metals): December, 2022
Other:
Other:
Other:
Other:

VII. Third party testing was conducted by:

QIMA Testing (HK) Limited
3/F Liven House
No. 61 – 63 King Yip Street
Kwun Tong
Kowloon Hong Kong
Tel: (852)3185 8000

Mary Meyer Corp.
P.O. Box 275, Route 30
Townshend, VT 05353 USA
Tel: (802)-365-7793 Fax: (802)-365-4233

Mary Meyer Corp.
P.O. Box 275, Route 30
Townshend, VT 05353 USA
Tel: (802)-365-7793 Fax: (802)-365-4233